



Topic: Other research undertaken in the Division of Primary Care

Publications:

2007:

- Bebb C, Coupland C, Stewart J, Kendrick D, Madeley R, Sturrock N, Burden R and for the Nottingham Diabetes Blood Pressure Study. Practice and patient characteristics related to blood pressure in patients with type 2 diabetes in primary care: A cross-sectional study. *Family Practice* 2007; Advanced Access published online on 25 October 2007: doi:10.1093/fampra/cmm060
- Bebb C, Kendrick D, Coupland C, Madeley R, Stewart J, Brown K et al. A cluster randomised controlled trial of the effect of a treatment algorithm for hypertension in patients with type 2 diabetes. *British Journal of General Practice* 2007; 57(535): 136-143
- Rothera I, Jones R, Harwood R, Avery A, Fisher K, James V, Shaw I, Waite J. An evaluation of a specialist multiagency home support service for older people with dementia using qualitative methods. *International Journal of Geriatric Psychiatry* 2007; Published online 11 June 2007 DOI:10.1002/gps.1841
- Sach T, Barton G, Doherty M, Muir K, Jenkinson C, Avery AJ. The relationship between BMI and health related quality of life: Comparing the EQ-5D, EuroQol VAS, and SF-6D. *International Journal of Obesity* 2007; 31(1): 189-196

2006:

- Bhargava JS, Patel B, Foss AJ, Avery AJ, King AJ. Views of glaucoma patients on aspects of their treatment: An assessment of patient preference by conjoint analysis. *Investigative Ophthalmology and Visual Science* 2006; 47 (7): 2885-2888
- Glazebrook C, Garrud P, Avery AJ, Coupland CAC, Williams H. Impact of a multimedia intervention "Skinsafe" on patients' knowledge and protective behaviours. *Preventive Medicine* 2006; 42(6): 449-454
- Neal RD, Ali N, Atkin K, Allgar VL, Ali S, Coleman T. Communication between South Asian patients and GPs: comparative study using the Roter Interactional Analysis System. *British Journal of General Practice* 2006; 56: 869-875
- Stewart J, Dyas J, Brown K, Kendrick D, on behalf of the Nottingham Diabetes Study Group. Achieving blood pressure targets: Lessons from a study with practice nurses. *Journal of Diabetes Nursing* 2006; 10(5): 186-193

2005:

- Bebb C, Kendrick D, Stewart J, Coupland CAC, Burden R, Madeley R et al. Inequalities in glycaemic control in patients with type 2 diabetes in primary care. *Diabetic Medicine* 2005; 22: 1364-1371

- David C, Kendrick D. Differences in the process of diabetic care between south Asian and white patients in inner-city practices in Nottingham, UK. *Health and Social Care in the Community* 2004; 12(3): 196-193
- Mulvaney C, Coupland C, Wilson A, Hammersley V, Dyas J, Carlisle R. Does increased use of private health care reduce the demand of NHS care? A prospective survey of General Practice referrals. *Journal of Public Health* 2005; 27(2): 182-188
- Mulvaney C, Kendrick D. Depressive symptoms in mothers of pre-school children. Effects of depression, social support, stress and neighbourhood social capital. *Social Psychiatry and Psychiatric Epidemiology* 2005; 40(3): 202-208
- Stewart J, Brown K, Kendrick D, Dyas J. Understanding of blood pressure by people with type 2 diabetes: A primary care focus group study. *British Journal of General Practice* 2005; 55: 298-304
- Stewart J, Kendrick D, on behalf of the Nottingham Diabetes Blood Pressure Study Group. Setting and negotiating blood sugar and blood pressure targets with people with Type 2 Diabetes in primary care: A cross sectional survey. *Diabetic Medicine* 2005; 22: 683-687
- Strang J, Sheridan J, Hunt C, Kerr B, Gerada C, Pringle M. The prescribing of methadone and other opioids to addicts: National survey of GPs in England and Wales. *British Journal of General Practice* 2005; 55(515): 444-451

2004:

- Hampshire AJ, Blair ME, Crown NS, Avery AJ, Williams EI. Variation in how mothers, health visitors and general practitioners use the personal child health record. *Child: Care, Health and Development* 2004; 30(4): 307-316
- Logan PA, Gladman JR, Avery A, Walker MF, Dyas J, Groom L. Randomised controlled trial of an occupational therapy intervention to increase outdoor mobility after stroke. *British Medical Journal* 2004; 329(7479): 1372-5
- Naushahi MJ, de Grauw WJC, Avery AJ, van Gerwent WHEM, van de Lisdonk EH, van Weel C. Risk factors for development of impaired renal function in Type 2 diabetes mellitus patients in primary care. *Diabetic Medicine* 2004; 21: 1096-1101
- Neal RD, Ali N, Allgar V, Coleman T. Consent rates for video-recording general practice consultations: Effect of ethnicity and other factors. *Family Practice* 2004; 21: 219-220

2003:

- Ross M-A, Avery AJ, Foss AJE. Views of older people on cataract surgery options: An assessment of preferences by conjoint analysis. *Quality and Safety in Health Care* 2003; 12: 13-17
- Rothera I, Jones R, Harwood R, Avery A, Waite J. General Practitioner contacts with older residents in nursing and residential homes. *European Journal of General Practice* 2003; 9(4): 141-142
- Rothera I, Jones R, Harwood R, Avery A, Waite J. Health status and assessed need for a cohort of older people admitted to nursing and residential homes. *Age and Ageing* 2003; 32(3): 303-309

2002:

- Carlisle R, Avery AJ, Marsh P. Primary care teams work harder in deprived areas. *Journal of Public Health Medicine* 2002; 24 (1): 43-48
- Hampshire AJ, Blair ME, Crown NS, Avery AJ, Williams EI. Assessing the quality of preschool child health surveillance in primary care: A pilot study in one health district. *Child: Care, Health and Development* 2002;28(3): 239-249
- Logan ECM, Yates JM, Stewart RM, Fielding K, Kendrick D. Investigation and management of iron deficiency anaemia in general practice: A cluster randomised controlled trial of a simple management group. *Postgraduate Medical Journal* 2002; 78: 533-537
- Miller P, Kendrick D, Bentley E, Fielding K. Cost-effectiveness of lumbar spine radiography in primary care patients with low back pain. *Spine* 2002; 27(20): 2291-2297
- Rothera IC, Jones R, Harwood R, Avery AJ, Waite J. Survival in a cohort of social services placements in nursing and residential homes: Factors associated with life expectancy and mortality. *Public Health* 2002;116(3):160-165
- Schers H, Webster S, van den Hoogen H, Avery A, Grol R, van den Bosch W. Continuity of care in general practice: a survey of patients' view. *British Journal of General Practice* 2002; 52: 459-462
- Watson M, Woods A, Kendrick D. Randomised controlled trials in primary care. *Community Practitioner* 2002; 75(4): 131-134

2001:

- Elkan R, Kendrick D, Dewey M, Hewitt M, Robinson J, Blair M, et al. Effectiveness of home based support for older people; Systematic review and meta-analysis. *British Medical Journal* 2001; 323: 1-9
- Hampshire AJ, Avery AJ. What can students learn from studying medicine in literature? *Medical Education* 2001; 35: 687-690
- Kai J, Crosland A. Perspectives of people with enduring mental ill health from a community-based qualitative study. *British Journal of General Practice* 2001; 51: 730-736
- Kendrick D, Fielding K, Bentley E, Kerslake R, Miller P, Pringle M. Radiography of the lumbar spine in primary care patients with low back pain: Randomised controlled trial. *British Medical Journal* 2001; 322: 400-405
- Kendrick D, Fielding K, Bentley E, Miller P, Kerslake R, Pringle M. The role of radiography in primary care patients with low back pain of at least 6 weeks duration: A randomised (unblinded) controlled trial. Published project report. *Health Technology Assessment* 2001; 5 (30)
- Pritchard A, Kendrick D. Practice nurse and health visitor management of acute minor illness in a general practice. *Journal of Advanced Nursing* 2001; 36 (4): 556-562

- Qureshi N. A general practice based programme for the secondary prevention of coronary heart disease: Rationale and organisation. *British Journal of General Practice* 2001; 8(4): 249-255
- Thomas P, Griffiths F, Kai J, O'Dwyer A. Networks for research in primary health care. *British Medical Journal* 2001; 322: 588-590
- van Zwanenberg T, Pringle M, Smail S, Baker M, Field S. The case for strengthening education and training for general practice. *British Journal of General Practice* 2001; 51: 349-350