

Primary Care Stratified Medicine (PriSM) Research Group

Publications since 2010

For more information about the group, please visit

<http://www.nottingham.ac.uk/research/groups/primarycarestratifiedmedicine/index.aspx>

2017:

- Weng SF, Reps J, Kai J, Garibaldi JM, Qureshi N. Can machine-learning improve cardiovascular risk prediction using routine clinical data? PLoS ONE 2017;12(4):e0174944 doi:10.1371/journal.pone.0174944
- Sanghera S, Frew E, Gupta JK, Kai J, Roberts TE. Sensitivity to scale of willingness-to-pay within the context of menorrhagia. Health Expectations 2017;20(2):232-242 doi:10.1111/hex.12452
- Little I, Vinogradova Y, Orton E, Kai J, Qureshi N. Venous thromboembolism in adults screened for sickle cell trait: a population-based cohort study with nested case-control analysis. BMJ Open 2017;7(3):e012665 doi:10.1136/bmjopen-2016-012665
- Holt TA, Dalton A, Marshall T, Fay M, Qureshi N, Kirkpatrick S, Hislop J, Lasserson D, Kearley K, Mollison J, Yu LM, Hobbs FDR, Fitzmaurice D. Automated Software System to Promote Anticoagulation and Reduce Stroke Risk: Cluster-Randomized Controlled Trial. Stroke 2017;48(3):787-790 doi:10.1161/strokeaha.116.015468
- Cross-Bardell L, Bird L, Ward D, Kai J. Obesity prevention and intervention: What's happening in the East Midlands? Nottingham: University of Nottingham and the East Midlands Academic Health Science Network, 2017.
- Carroll C, Tappenden P, Rafia R, Hamilton J, Chambers D, Clowes M, Durrington P, Qureshi N, Wierzbicki AS. Evolocumab for Treating Primary Hypercholesterolaemia and Mixed Dyslipidaemia: An Evidence Review Group Perspective of a NICE Single Technology Appraisal. Pharmacoeconomics 2017;First online:11 March 2017: doi:10.1007/s40273-017-0492-6
- Bird L, Cross-Bardell L, Ward D, Kai J. Facilitating access to obesity services for high risk, harder to reach groups. Recent Learning from the East Midlands region (UK). Nottingham: East Midlands Academic Health Science Network, 2017.

2016:

- Redsell SA, Weng SF, Swift JA, Nathan D, Glazebrook C. Validation, Optimal Threshold Determination, and Clinical Utility of the Infant Risk of Overweight Checklist for Early Prevention of Child Overweight. Childhood Obesity 2016;12(3):202-209 doi:10.1089/chi.2015.0246
- Redsell SA, Edmonds BE, Swift JA, Siriwardena AN, Weng S, Nathan D, Glazebrook C. Systematic review of randomised controlled trials of interventions that aim to reduce the risk, either directly or indirectly, of overweight and obesity in infancy and early childhood. Maternal & Child Nutrition 2016;12(1):24-38 doi:10.1111/mcn.12184

- Qureshi N, Weng SF, Hex N. The role of cost-effectiveness analysis in the development of indicators to support incentive-based behaviour in primary care in England. *Journal of Health Services Research & Policy* 2016; Published online before print: 20 May 2016: doi:10.1177/1355819616650912
- Qureshi N, Weng S, Tranter J, El-Kadiki A, Kai J. Feasibility of improving identification of familial hypercholesterolaemia in general practice: intervention development study. *BMJ Open* 2016;6(5):e011734 doi:10.1136/bmjopen-2016-011734
- Patel S, Malins S, Guo B, James M, Kai J, Kaylor-Hughes C, Rowley E, Simpson J, Smart D, Stubley M, Tyrer H, Morriss R. Protocol investigating the clinical outcomes and cost-effectiveness of cognitive-behavioural therapy delivered remotely for unscheduled care users with health anxiety: randomised controlled trial. *British Journal of Psychiatry Open* 2016;2(1):81-87 doi:10.1192/bjpo.bp.115.002220
- Malins S, Kai J, Atha C, Avery A, Guo B, James M, Patel S, Sampson C, Stubley M, Morriss R. Cognitive behaviour therapy for long-term frequent attenders in primary care: a feasibility case series and treatment development study. *British Journal of General Practice* 2016; Published Online: 19 July 2016: doi:10.3399/bjgp16X686569
- Lau R, Stevenson F, Ong BN, Dziedzic K, Treweek S, Eldridge S, Everitt H, Kennedy A, Qureshi N, Rogers A, Peacock R, Murray E. Achieving change in primary care—causes of the evidence to practice gap: systematic reviews of reviews. *Implementation Science* 2016;11(1):1-39 doi:10.1186/s13012-016-0396-4
- Kai J, Middleton L, Daniels J, Pattison H, Tryposkiadis K, Gupta J. Usual medical treatments or levonorgestrel-IUS for women with heavy menstrual bleeding: long-term randomised pragmatic trial in primary care. *British Journal of General Practice* 2016;66(653):e861-e870 doi:10.3399/bjgp16X687577
- Hussein N, Kai J, Qureshi N. The effects of preconception interventions on improving reproductive health and pregnancy outcomes in primary care: A systematic review. *European Journal of General Practice* 2016;22(1):45-52 doi:http://dx.doi.org/10.3109/13814788.2015.1099039
- Cabral C, Ingram JC, Lucas PJ, Redmond NM, Kai J, Hay AD, Horwood J. Influence of Clinical Communication on Parents' Antibiotic Expectations for Children With Respiratory Tract Infections. *The Annals of Family Medicine* 2016;14(2):141-147 doi:10.1370/afm.1892

2015:

- Weng SF, Kai J, Neil HA, Humphries SE, Qureshi N. Improving identification of familial hypercholesterolaemia in primary care: Derivation and validation of the familial hypercholesterolaemia case ascertainment tool (FAMCAT). *Atherosclerosis* 2015;238(2):336-343 doi:http://dx.doi.org/10.1016/j.atherosclerosis.2014.12.034
- Weng SF, Kai J, Guha IN, Qureshi N. The value of aspartate aminotransferase and alanine aminotransferase in cardiovascular disease risk assessment. *Open Heart* 2015;2(1):e000272 doi:10.1136/openhrt-2015-000272
- Ulph F, Cullinan T, Qureshi N, Kai J. Parents' responses to receiving sickle cell or cystic fibrosis carrier results for their child following newborn screening. *European Journal of Human Genetics* 2015;23(4):459-465 doi:10.1038/ejhg.2014.126

- Sanghera S, Frew E, Gupta JK, Kai J, Roberts TE. Exploring the Use of Cost-Benefit Analysis to Compare Pharmaceutical Treatments for Menorrhagia. *PharmacoEconomics* 2015;33(9):957-965 doi:10.1007/s40273-015-0280-0
- Qureshi N, Minhas R, Wierzbicki AS. Prioritizing health outcomes in a limited world: writing lipid guidelines. *Current Opinion in Lipidology* 2015;26(3): 188–194(3):188-194 doi:10.1097/mol.0000000000000170
- Qureshi N, Kai J, Middlemass J, Dhiman P, Cross-Bardell L, Acharya J, Li KW, Humphries SE, Standen PJ. Comparison of coronary heart disease genetic assessment with conventional cardiovascular risk assessment in primary care: reflections on a feasibility study. *Primary Health Care Research & Development* 2015;16(6):607-617 doi:10.1017/S1463423615000122
- Patel S, Kai J, Atha C, Avery A, Guo B, James M, Malins S, Sampson C, Stubley M, Morriss R. Clinical characteristics of persistent frequent attenders in primary care: case-control study. *Family Practice* 2015;First Published Online:8 October 2015 doi:10.1093/fampra/cmz076
- Lau R, Stevenson F, Ong BN, Dziedzic K, Treweek S, Eldridge S, Everitt H, Kennedy A, Qureshi N, Rogers A, Peacock R, Murray E. Achieving change in primary care—effectiveness of strategies for improving implementation of complex interventions: systematic review of reviews. *BMJ Open* 2015;5(12):e009993 doi:10.1136/bmjopen-2015-009993
- Hussein N, Weng SF, Kai J, Kleijnen J, Qureshi N. Preconception risk assessment for thalassaemia, sickle cell disease, cystic fibrosis and Tay-Sachs disease. *Cochrane Database of Systematic Reviews* 2015;Issue 8. Art. No.: CD010849.: DOI:10.1002/14651858.CD010849.pub2.
- Henneman L, McBride CM, Cornel MC, Duquette D, Qureshi N. Screening for Familial Hypercholesterolemia in Children: What Can We Learn From Adult Screening Programs? *Healthcare* 2015;3(4):1018-30 doi:10.3390/healthcare3041018
- Gupta JK, Daniels JP, Middleton LJ, Pattison HM, Prileszky G, Roberts TE, Sanghera S, Barton P, Gray R, Kai J. A randomised controlled trial of the clinical effectiveness and cost-effectiveness of the levonorgestrel-releasing intrauterine system in primary care against standard treatment for menorrhagia: the ECLIPSE trial. *Health Technology Assessment programme* 2015;19(88) doi:http://dx.doi.org/10.3310/hta19880
- Fazil Q, Aujla N, Hale C, Kai J. Unequal treatment: health care experiences and needs of patients with cancer from minority ethnic communities. *Diversity and Equality in Health and Care* 2015;12(3):95-103
- Cross-Bardell L, George T, Bhoday M, Tuomainen H, Qureshi N, Kai J. Perspectives on enhancing physical activity and diet for health promotion among at-risk urban UK South Asian communities: a qualitative study. *BMJ Open* 2015;5(2):e007317 doi:10.1136/bmjopen-2014-007317
- Bird L, Cross-Bardell L, Ward D, Kai J. Synthesis of UK Evidence Based Recommendations for Adult Obesity Prevention and Treatment for service improvement and implementation. Why weight? East Midlands Academic Health Science Network Obesity Programme. Nottingham: University of Nottingham, September 2015.

2014:

- Ulph F, Cullinan T, Qureshi N, Kai J. Informing Children of Their Newborn Screening Carrier Result for Sickle Cell or Cystic Fibrosis: Qualitative Study of Parents' Intentions, Views and Support Needs. *Journal of Genetic Counseling* 2014;23(3):409-420 doi:10.1007/s10897-013-9675-2
- Steel N, Abdelhamid A, Stokes T, Edwards H, Fleetcroft R, Howe A, Qureshi N. A review of clinical practice guidelines found that they were often based on evidence of uncertain relevance to primary care patients. *Journal of Clinical Epidemiology* 2014;67(11):1251-1257 doi:http://dx.doi.org/10.1016/j.jclinepi.2014.05.020
- Sanghera S, Roberts TE, Pelham B, Frew E, Daniels J, Middleton L, Gennard L, Kai K, Gupta JK. Levonorgestrel-releasing intrauterine system vs. usual medical treatment for menorrhagia: An economic evaluation alongside a randomised controlled trial. *PLoS ONE* 2014;doi: 10.1371/journal.pone.009189
- Redsell SA, Edmonds BE, Glazebrook C, Swift J, Nathan D, Siriwardena AN, Weng SF, Atkinson PA, Watson V. Development of an evidence-based practice guideline for UK public health nurses (health visitors) to use with parents of infants at risk of obesity. *Appetite* 2014;76(0):204 doi:http://dx.doi.org/10.1016/j.appet.2014.01.036
- Middlemass JB, Yazdani MF, Kai J, Standen PJ, Qureshi N. Introducing genetic testing for cardiovascular disease in primary care: a qualitative study. *British Journal of General Practice* 2014;64(622):e282-e289 doi:10.3399/bjgp14X679714
- Lau R, Stevenson F, Ong BN, Dziedzic K, Eldridge S, Everitt H, Kennedy A, Kontopantelis E, Little P, Qureshi N, Rogers A, Treweek S, Peacock R, Murray E. Addressing the evidence to practice gap for complex interventions in primary care: a systematic review of reviews protocol. *BMJ Open* 2014;4(6):e005548 doi:10.1136/bmjopen-2014-005548
- Hill NR, Lasserson D, Thompson B, Perera-Salazar R, Wolstenholme J, Bower P, Blakeman T, Fitzmaurice D, Little P, Feder G, Qureshi N, Taal M, Townend J, Ferro C, McManus R, Hobbs FD. Benefits of Aldosterone Receptor Antagonism in Chronic Kidney Disease (BARACK D) trial-a multi-centre, prospective, randomised, open, blinded end-point, 36-month study of 2,616 patients within primary care with stage 3b chronic kidney disease to compare the efficacy of spironolactone 25mg once daily in addition to routine care on mortality and cardiovascular outcomes versus routine care alone: study protocol for a randomized controlled trial. *Trials* 2014;15(1):160 doi:10.1186/1745-6215-15-160
- Dhiman P, Kai J, Horsfall L, Walters K, Qureshi N. Availability and Quality of Coronary Heart Disease Family History in Primary Care Medical Records: Implications for Cardiovascular Risk Assessment *PLoS ONE* 2014;9(1):e81998 doi:10.1371/journal.pone.0081998
- Allford A, Qureshi N, Barwell J, Lewis C, Kai J. What hinders minority ethnic access to cancer genetics services and what may help. *European Journal of Human Genetics* 2014;22(7):866-874 doi:10.1038/ejhg.2013.257
- Abdelhamid A, Howe A, Stokes T, Qureshi N, Steel N. Primary care evidence in clinical guidelines: a mixed methods study of practitioners' views *British Journal of General Practice* 2014;64(628):e719-e727 doi:http://dx.doi.org/10.3399/bjgp14X682309

2013:

- Wijdenes M, Henneman L, Qureshi N, Kostense P, Cornel M, Timmermans D. Using web-based familial risk information for diabetes prevention: a randomized controlled trial. *BMC Public Health* 2013;13(1):485 doi:10.1186/1471-2458-13-485
- Tuomainen H, Cross-Bardell L, Bhoday M, Qureshi N, Kai J. Opportunities and challenges for enhancing preconception health in primary care: qualitative study with women from ethnically diverse communities. *BMJ Open* 2013;3(7):e002977 doi:10.1136/bmjopen-2013-002977
- Sanghera S, Frew E, Kai J, Gupta JK, Roberts TE. An assessment of economic measures used in menorrhagia: A systematic review. *Social Science & Medicine* 2013;98:149-153 doi:http://dx.doi.org/10.1016/j.socscimed.2013.09.016
- Qureshi N, Evans G. Family history is key to risk classification of familial breast cancer. *Guidelines in Practice* 2013;16(8):37-45
- Neilson SJ, Kai J, MacArthur C, Greenfield S. Using social worlds theory to explore influences on community nurses' experiences of providing out of hours paediatric oncology palliative care. *Journal of Research in Nursing* 2013;18:443-456 doi:10.1177/1744987113491759
- McDonald R, Cheraghi-Sohi S, Bayes S, Morriss R, Kai J. Competing and coexisting logics in the changing field of English general medical practice. *Social Science & Medicine* 2013;93(0):47-54 doi:http://dx.doi.org/10.1016/j.socscimed.2013.06.010
- Lakhani NS, Weir J, Allford A, Kai J, Barwell JG. Could Triaging Family History of Cancer during Palliative Care Enable Earlier Genetic Counseling Intervention? *Journal of Palliative Medicine* 2013;16(11):1350-1355 doi:10.1089/jpm.2012.0583
- Hussein N, Qureshi N, Weng SF, Kleijne nJ, Kai J. Preconception risk assessment for thalassaemia, sickle cell disease, cystic fibrosis and Tay-Sachs disease. *Cochrane Database of Systematic Reviews* 2013;Issue 12(Art. No.: CD010849): DOI:10.1002/14651858.CD010849
- Gupta JK, Kai J, Middleton L, Pattison H, Gray R, Daniels J, for the ECLIPSE Trial Collaborative Group. Levonorgestrel Intrauterine System versus Medical Therapy for Menorrhagia. *New England Journal of Medicine* 2013;368(2):128-137 doi:10.1056/NEJMoa1204724
- Chapman J, Qureshi N, Kai J. Effectiveness of physical activity and dietary interventions in South Asian populations: a systematic review. *British Journal of General Practice* 2013;63(607):e104-e114 doi:10.3399/bjgp13X663064

2012:

- Qureshi N, Armstrong S, Dhiman P, Saukko P, Middlemass JB, Evans PH, Kai J, for the ADDFAM (Added Value of Family History in CVD Risk Assessment) Study Group. Effect of Adding Systematic Family History Enquiry to Cardiovascular Disease Risk Assessment in Primary Care. *Annals of Internal Medicine* 2012;156(4):253-262 doi:10.1059/0003-4819-156-4-201202210-00002
- Morriss R, Kai J, Atha C, Avery A, Bayes S, Franklin M, George T, James M, Malins S, McDonald R, Patel S, Stubley M, Yang M. Persistent frequent attenders in primary

care: costs, reasons for attendance, organisation of care and potential for cognitive behavioural therapeutic intervention. *BMC Family Practice* 2012;13(1):39

- Mir G, Salway S, Kai J, Karlsen S, Bhopal RS, Ellison G, Sheikh A. Principles for research on ethnicity and health: the Leeds Consensus Statement. *European Journal of Public Health* 2012; First published online: 2 May 2012: doi:10.1093/eurpub/cks028

2011:

- Wijdenes-Pijl M, Henneman L, Cross-Bardell L, Timmermans DRM, Qureshi N. How does a simple enquiry compare to a detailed family history questionnaire to identify coronary heart disease or diabetic familial risk? *Genetics in Medicine* 2011;13(5):443-446 doi:10.1097/GIM.0b013e3182081fce
- Ulph F, Cullinan T, Qureshi N, Kai J. Familial influences on antenatal and newborn haemoglobinopathy screening. *Ethnicity & Health* 2011;16(4-5):361-375 doi:10.1080/13557858.2011.556245
- Scullard P, Abdelhamid A, Steel N, Qureshi N. Does the evidence referenced in NICE guidelines reflect a primary care population? *British Journal of General Practice* 2011;61(584):188-192
- Pattison H, Daniels JP, Kai J, Gupta JK. The measurement properties of the menorrhagia multi-attribute quality-of-life scale: a psychometric analysis. *British Journal of Obstetrics & Gynaecology* 2011;118(12):1528-1531 doi:10.1111/j.1471-0528.2011.03057.x
- Neilson SJ, Kai J, MacArthur C, Greenfield SM. Caring for children dying from cancer at home: a qualitative study of the experience of primary care practitioners. *Family Practice* 2011;28(5):545-553 doi:10.1093/fampra/cmr007
- Kai J, Beavan J, Faull C. Challenges of mediated communication, disclosure and patient autonomy in cross-cultural cancer care. *British Journal of Cancer* 2011;105(7):918-924 doi:10.1038/bjc.2011.318

2010:

- Valdez R, Yoon P, Qureshi N, Green R, Khoury M. Family History in Public Health Practice: A Genomic Tool for Disease Prevention and Health Promotion. *Annual Review of Public Health* 2010;31:69-87
- Farrimond H, Saukko PM, Qureshi N, Evans PH. Making sense of being at 'high risk' of coronary heart disease within primary prevention. *Psychology & Health* 2010;25(3):289-304
- Claassen L, Henneman L, Janssens AC, Wijdenes-Pijl M, Qureshi N, Walter F, Yoon P, Timmermans D. Using family history information to promote healthy lifestyles and prevent diseases; a discussion of the evidence. *BMC Public Health* 2010;10(1):248